


# T3 HELIX™

## ELECTRONIC BULBS

New! Super-Mini CFL's



### Technical Data

HELIX™ Electronic, NPF, Medium Base (E26/27), 120VAC- 50/60Hz, 8,000 or 10,000 Hours Average Life												Incandescent Equivalent			
Item Number	Watts	Input Line Current	Power Factor	THD	M.O.L. (Inch)	D (Inch)	BD (Inch)	BH (Inch)	Color Temp. (°K)	CRI	Lumens	Lm/W	Watts	Lumens	Lm/W
24509	9	0.150 A	>0.50	<150%	3.95	1.875	1.57	2.0	2700	>82	600	67	40	450	11
24513*	13	0.180 A	>0.50	<150%	4.125	1.875	1.57	2.0	2700	>82	800	62	60	800	13
24514	14	0.230 A	>0.50	<150%	4.375	1.750	1.50	2.0	2700	>82	900	66	60	900	15
24518	18	0.300 A	>0.50	<150%	4.750	2.000	1.75	2.0	2700	>82	1200	67	75	1150	15
24524	24	0.400 A	>0.50	<150%	5.000	2.250	1.75	2.5	2700	>82	1600	66	100	1600	16
24523*	23	0.400A	>0.50	<150%	5.00	2.255	1.75	2.5	2700	>82	1600	66	100	1600	16
24542	42	0.700 A	>0.50	<150%	6.750	2.880	2.28	2.9	2700	>82	2800	67	200	2400	12

APPLICATION INFORMATION: TO BE USED WITH TABLE LAMPS • PENDANT LAMPS • DESK LAMPS • OUTDOOR FIXTURES • TRACK LIGHTS • RECESSED CANS • WARDROBE CLOSETS • DRIVEWAYS • WALKWAYS • YARDS & GARDENS • OPEN & TOTALLY ENCLOSED FIXTURES • USE WITH OCCUPANCY SENSORS MADE BY NEPTUN • AND MORE

### Features and Benefits

- \* The most compact CFLs on the market with FULL LIGHT OUTPUT
- \* Saves up to 80% energy with comparable light output
- \* Color Temperature of 2700°K : Matching Incandescent bulbs
- \* High Luminous Efficiency: Up to 67 Lm/W
- \* Very long life: Up to 10 times longer than ordinary bulbs
- \* New! Patented Amalgam Technology
- \* Rapid Start with End of Life Protection and Electronic Preheat
- \* Superior Lumen Maintenance

NEPTUN LIGHT, Inc.  
 service@neptunlight.com  
 Tel. 1-847-735-8330  
 Toll Free: 1-888-735-8330



**NEPTUN**  
 LIGHT®



(\*) Certified Models